

AMENDMENT(S) TO THE CLAIMS

1. (Currently Amended) A sterilization case assembly, comprising:
a plurality of sterilization cases including a first sterilization case and a second sterilization case, said second sterilization case stacked upon said first sterilization case in a vertical direction, said second sterilization case offset from said first sterilization case in a frontward to rearward direction, each said plurality of sterilization cases movable between a closed position and at least a partially open position, said second sterilization case offset from said first sterilization case in a direction transverse to said vertical direction when both said first and said second sterilization cases are in closed positions.
2. (Canceled)
3. (Original) The sterilization case assembly of claim 1, wherein at least one said case includes a plurality of drawers.
4. (Original) The sterilization case assembly of claim 3, wherein said at least one case that includes a plurality of drawers has a hinged front cover.
5. (Original) The sterilization case assembly of claim 1, wherein said second sterilization case includes a hinged lid.
6. (Original) The sterilization case assembly of claim 5, wherein said lid is removable.
7. (Original) The sterilization case assembly of claim 5, wherein said first sterilization

case includes at least one handle, said second sterilization case includes at least one recessed pocket, at least one said handle interlocks with at least one said recessed pocket when said second sterilization case is stacked upon said first sterilization case in a vertical direction.

8. (Currently Amended) A sterilization case assembly, comprising:

a plurality of sterilization cases including a first sterilization case and a second sterilization case, said first sterilization case including at least one handle, said second sterilization case including at least one recessed pocket, at least one said handle interlocking with at least one said recessed pocket when said second sterilization case is stacked upon said first sterilization case in a vertical direction, said first sterilization case has a top surface, said second sterilization case has a bottom surface, said bottom surface of said second sterilization case at least partially contacts said top surface of said first sterilization case when said second sterilization case is stacked upon said first sterilization case in a vertical direction.

9. (Original) The sterilization case assembly of claim 8, wherein said second sterilization case is offset from said first sterilization case in a direction transverse to said vertical direction.

10. (Withdrawn) A sterilization case, comprising:

a top having at least one top registration element; and

a bottom connected to said top, said bottom including at least one bottom registration element.

11. (Withdrawn) The sterilization case of claim 10, wherein said at least one top registration element is offset from said at least one bottom registration element in a direction

parallel with said bottom.

12. (Withdrawn) The sterilization case of claim 10, further including opposed sides connected to said bottom, said at least one bottom registration element being closer to one said side than said at least one top registration element.

13. (Withdrawn) The sterilization case of claim 10, wherein said top is at least one of a lid and an end cap.

14. (Withdrawn) The sterilization case of claim 10, further including a plurality of drawers.

15. (Withdrawn) The sterilization case claim 14, further including a hinged front cover.

16. (Withdrawn) A sterilization case, comprising:

a lid;

a drawer connected to said lid; and

a latch interlocking said lid and said drawer.

17. (Withdrawn) The sterilization case of claim 16, wherein said lid is capable of rotation, said drawer is capable of translation, and said latch allows one of said rotation and said translation after an actuation of said latch.

18. (Currently Amended) A method of assembling a sterilization case assembly,

comprising the steps of:

stacking a first sterilization case and a second sterilization case, said second sterilization case stacked upon said first sterilization case in a vertical direction; [[and]]

offsetting said second sterilization case from said first sterilization case in a frontward to rearward direction;

providing both said first and said second sterilization cases are movable between a closed position and at least a partially open position; and

offsetting said second sterilization case from said first sterilization case in a direction transverse to said vertical direction when both said first and said second sterilization cases are in closed positions.

19. (Original) The method of claim 18, further including the step of interlocking said second sterilization case with said first sterilization case.